

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

homasville Water Assn.
Public Water Supply Name

List PWS ID #s for all Water Systems Covered by this CCR

COMMI	deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR e mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	 □ Advertisement in local paper □ On water bills □ Other
	Date customers were informed://
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed:/_/
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
•	Name of Newspaper: Reinkin County New's
	Date Published: <u>O6 / 16 / 18</u>
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
<u>CERTI</u>	FICATION
consiste	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State ment of Health, Bureau of Public Water Supply. October October
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

2009 CCR 0610029; 06/09/2010

Is my water safe?

In 2009, as in years past, Thomasville Water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Local Water vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our Well draws from the Cockfield Aquifer.

Our Source water assessment is available on the MDEO web site.

Our Rating: Well #1 Moderate Well #2 Lower

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

Please contact us with any comments or questions you may have.

Maximum Residual Disinfectant Level.

During the monitoring period the MCL was not exceeded.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Thomasville Water Assn is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Your	Range	High	Sample Date	Violation	ts do not change frequently. Typical Source
Disinfectants & Disinf		Court will be the court of the court						
There is convincing ev	idence that a	ddition o	f a disinfo	ectant is n	ecessa	ry for cor	trol of micro	bial contaminants)
Chlorine (as Cl2) (ppm)) 4	4	0.98	NA		2009	No	Water additive used to control microbes
Haloacetic Acids (HAA5) (ppb)	NA	60	15	NA		2008	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	54.63	NA		2008	No	By-product of drinking water disinfection
Inorganic Contaminan	ts							
Nitrate [measured as Nitrogen] (ppm)	10	10	0.2	NA		2009	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.05	NA		2009	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Volatile Organic Conta	minants							
1,1,1-Trichloroethane (ppb)	200	200	0.5	NA		2008	No	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	0.5	NA		2008	No	Discharge from industrial chemical factories
1,1-Dichloroethylene (ppb)	7	7	0.5	NA		2008	No	Discharge from industrial chemical factories
,2-Dichloropropane ppb)	o l	5	0.5	NA		2008	No	Discharge from industrial chemical factories
Benzene (ppb)	0	5	0.5	NA		2008	No	Discharge from factories; Leaching from gas storage tanks and landfills
Carbon Tetrachloride ppb)	0	5	0.5	NA		2008	No	Discharge from chemical plants and other industrial activities
Chlorobenzene monochlorobenzene) ppb)	100	100).5	NA		2008	No	Discharge from chemical and agricultural chemical factories
is-1,2- Dichloroethylene (ppb)	70	70).5	NA		2008	No	Discharge from industrial chemical factories
Pichloromethane (ppb))	5).5	NA	2	8008	No	Discharge from pharmaceutical and chemical factories

Ethylbenzene (ppb)	700	700	0.5	NA	2008	No		Discharge from petroleum refineries		
o-Dichlorobenzene (ppb)	600	600	0.5	NA	2008	No Dis		Discharge from industrial chemical factories		
p-Dichlorobenzene (ppb) 75 75		0.5	NA	2008 No			Discharge from industrial chemical factories			
Styrene (ppb) 100 100		0.5	NA	NA 2008			Discharge from rubber and plastic factories; Leaching from landfills			
Toluene (ppm)	1	1	0.5	NA	2008	No		Discharge from petroleum factories		
rans-1,2- Dicholoroethylene (ppb)	100	100	0.5	NA	2008	No		Discharge from industrial chemical factories		
Trichloroethylene (ppb)	o	5	0.5	NA	2008	No		Discharge from metal degreasing sites and other factories		
Vinyl Chloride (ppb)	0	2	0.5	NA	2008	08 No		Leaching from PVC piping; Discharge from plastics factories		
Xylenes (ppm)	10	10	0.5	NA	2008	No	į į	Discharge from petroleum Pactories; Discharge from Pactories factories		
<u>Contaminants</u>	MCLG	<u>AL</u>	Your <u>Water</u>	Sample <u>Date</u>	# Samples Exceeding A		Exceeds <u>AL</u>	Typical Source		
Inorganic Contaminant	s									
Lead - action level at consumer taps (ppb)	0	15	10	2008	0		No	Corrosion of household plumbing systems; Erosion of natural deposits		
Copper - action level at consumer taps (ppm)	1.3	1.3	0.5	2008	D) No		Corrosion of household plumbing systems; Erosion of natural deposits		
Unit Descriptions										
Ter	m		Definitio							
ppr	n		ppm: par	ts per milli	on, or milligra	ams pe	er liter (n	ng/L)		
ppl			ppb: part	s per billio	n, or microgra	ıms pe	r liter (μ	g/L)		
NA NA			NA: not applicable							
NE	***************************************		ND: Not							
NR			NR: Mon	itoring not	required, but	recon	nmended	•		
mportant Drinking Wa Teri		ons	h.e							
1 eri	11		Definition MCI G: Maximum Containing I London Transfer I London T							
MCL	.G	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.								
MCI	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.									
TT			ΓΤ: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.							

AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level
For more information please contact:	

Contact Name: Jeff Jones

Address: 2483 Star Road Florence, MS 39073 Phone: 601-813-4760

AFFIDAVIT

PROOF OF PUBLICATION

RANKIN COUNTY NEWS • P.O. BOX 107 • BRANDON, MS 39043

STATE	OF	MIS	SSIS	SSIF	PΙ
COUN'	TΥ	OF I	RAN	NKI]	N

THIS 17TH DAY OF JUNE, 2010, personally came Marcus Bowers, publisher of the Rankin County News, a weekly newspaper printed and published in the City of Brandon, In the County of Rankin and State aforesaid, before me the undersigned officer in and for said County and State, who being duly sworn, deposes and says that said newspaper has been published for more than 12 months prior to the first publication of the attached notice and is qualified under Chapter 13-3-31, Laws of Mississippi, 1936, and laws supple-

2009 ANNUAL DRINKING WATER QUALITY REPORT

mentary and amendatory thereto, and that a certain

THOMASVILLE WATER ASSOCIATION - 0610029 a copy of which is hereto attached, was published in said newspaper One (1) week, as follows, to-wit:

Vol <u>162</u> No. <u>47</u> on the <u>16th</u> day of June, 2010

Marcus Bowers

MARCUS BOWERS, Publisher

Sworn to and subscribed before me by the aforementioned Marcus Bowers this <u>17th</u> day of June, 2010

Janue Corque, Notary Public FRANCES CONGER My Commission Expires: January 25, 2014

3 column by 12 inch legal at \$6.50 per column inch..... \$468.00

TOTAL.....\$471.00



2009 CCR 0610029; 06/09/2010

saler such:

1.5 In year past, Thomasville Water met all U.S. Environmensal Protection Agency (EPA) and sate drinking water indexed: North Water Vigilately astigaged in to water supplied and once goals to see proof to report that our system has end a manufacture and continuents for 40 or 1000 en season grant pandom.

Certainne	PHOTO	NEW I	7			Village	Explosi Segres
					u ka j	1979	er (Ottobio), profes
hlorine (xs CH2) (ppm)		4	0.98	VA .	2009	Yo	Water additive used to control microbes
laloacetic Acids HAA3) (ppb)	va .	60	15	NA.	2008	No	By-product of drinking water blockstion
THMs [Total ribalomethanes] (ppb)	VA .	80	54.63	NA	2008	No	By-product of drinking water disinfection
e great Contaction		100			EVO		
liuste [messured as litrogen] (ppm)	10	10	12	*	2009	No.	Runoff from fertilizer use; Leaching from septic tanks, sewage; Exosion of natural deposits
litrite [measured as latogen] (ppm)		1	0.03	u.	2009	No.	Runoff from fertilizer use; loaching from soptic tenks, sawage; Ereston of natural theosits
eighte Organic Comp	pursually.		10000			4.4	1000
1,1-Trichlorpediane pb)	500	200	0.5	u .	2008	No	Discharge from metal degressing sites and other factories
1,2-Trichloroethane pb)		•	0.5	W.	2008	No	Discharge from industrial chemical factories
i-Dichlorouthylene pb)		9	1.5	NA .	2008	No	Discharge from industrial hemical factories
2-Dichlosopropane pb)	p ²	5).5	NA	2008	No	Discharge from industrial chemical factories
enzene (ppb)	0	5	1.5	NA.	2008	No.	Discharge from factories; eaching from gas storage tanks and landfills

ı	1	1			33 (C. C.)			e esta		
Carbon Tetrachloride (ppb)	þ	ه	þs	No.	2008	10	Discharge from a and other industr	bemicul plant al activities		
Shlorobenzene monochlorobenzene) ppb)	100	100	0.5		2008	No	Discharge from a agricultural charge	heroical and loal factories		
19-1,2- Dishlorocity kao (ppb)	70	70).5 NA		2008	No.	Discharge from I chemical factorie	odustrial F		
Dichleromethene (ppb)	ļ.,	, ,	2.5	NA.	2008	100	Discharge from p and chemical fact	hermacquaical ories		
ithylbenzene (pph)	700	200	0.5	ha l	2008	No	Discharge from p	ttoleun		
-Dichlorobenzene ppb)	500	600	þs	NA	2008	No.	Dischange from in themical factories	dustria)		
-Dichlorobenzene ppb)	73	75	0.5	NA	1608	10	Discharge from in chemical factories			
іўтень (ррb)	160	100),5	W.	2008	vo.	Discharge from in	bber and plas		
Folucas (ppm)	al out	1	þ.	W	2008	No	Olscharge from po	troleum		
rans-1,2- Dicholoroethylene ppb)	100	160	0.5	M	2008	١.		Discharge from Industrial		
richioroethylene (ppb)	•	•	2.5	N.	2008	No	Necharge from m sites and other fac	rtal dogreasin aries		
(layi Chloride (ppb))	2	0.5	 	2008	Vo	caching from PV Discharge from pl	C piping; ustics factorio:		
lylenes (ppm)	0	10	0.5	*	2008	yo .	Discharge from pe actories: Discharg themical factories	roleum e from		
Consultation organic Consultation	MÖLG		Yes Yes	land au			reegie L'halest-poers			
cod - action level at		15	10	2608	þ .	7	Corresion of he o plumbing syste	ms; Eronon o		
opper - action level at Naturner laps (ppm)	.3	1,3	0.5	2008		7	hasural deposit, Corrosion of he plumbling syste takural deposit	uschold		
all Description	200		Definiti				activity of the			
ppii			ppm. pa	rts per milli	on, or milligi					
ppb NA			ppb: parts per billion; or micrograms per liter (µg/L) NA: not applicable							
ND NR				detected nitoring not	required, bu	i recoma	ntaded			
ajortkei Brinkjeg Wa Tern			Deficie			2000				
МСИ			ACL Of Missimum Containtium I used Gool: The level of a containtium in Coll. Of Missimum Containtium I used Gool: The level of a containtium in Coll. Of the straight of faifer. All of the straight of faifer. ACL Missimum Containtium I Level in the legical ties of a containtium table it blowed to éntaining water. MCL are set as close to the MCLCO as Goodbe straight be the visualise the material technology. T. Presument Techniques A required process intended to redoor the level of a containtium is in thinking to the containtium in the indiagn water. L. Action Level. The covernmental on the containtium which, if devocated, and the containtium is missing to under containtium in the indiagn water.							
MCJ										
17										
AL.										
Variances and E		Variances and Exemptions: State or EPA permission and to most an MCL or a restricts technique under certain conditions.								
MRDL	REMINION RECEIPTOR MADE TO A CONTROL TO THE PROPERTY OF A drinking water disinfection below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfections to control microbial control health.									
MRDI	MRDL: Maximum residual disinfection level. The highest level of a disinfection allowed in disinfect, water, There is convincing avidance that addition of a disinfection is necessary for control of microbial contaminants.									
MNR MPL			MNR: Monitored No. Regulated MPL: State Assigned Maximum Permissible Level							
ranora information pli		100055000	WATER SU	our translige	a svenkupudii s	ornings.	No are (C)			